



International Journal for Innovative Engineering and Management Research

A Peer Reviewed Open Access International Journal

www.ijiemr.org

COPY RIGHT

2017 IJIEMR. Personal use of this material is permitted. Permission from IJIEMR must be obtained for all other uses, in any current or future media, including reprinting/republishing this material for advertising or promotional purposes, creating new collective works, for resale or redistribution to servers or lists, or reuse of any copyrighted component of this work in other works. No Reprint should be done to this paper, all copy right is authenticated to Paper Authors

IJIEMR Transactions, online available on 10th Nov 2017. Link

[:http://www.ijiemr.org/downloads.php?vol=Volume-6&issue=ISSUE-11](http://www.ijiemr.org/downloads.php?vol=Volume-6&issue=ISSUE-11)

Title: **FAULT TOLERANT PARALLEL FILTERS BASED ON ERROR CORRECTION CODE**

Volume 06, Issue 11, Pages: 1 – 6.

Paper Authors

MAMATHA SAINI, SRUJANA

Ganapathi Engineering College



USE THIS BARCODE TO ACCESS YOUR ONLINE PAPER

To Secure Your Paper As Per **UGC Guidelines** We Are Providing A Electronic Bar Code

FAULT TOLERANT PARALLEL FILTERS BASED ON ERROR CORRECTION CODE

¹MAMATHA SAINI, ²SRUJANA

M.Tech Scholar, Ganapathi Engineering College

Assistant Professor, Ganapathi Engineering College

ABSTRACT: Digital filters are widely used in signal processing and communication systems. In some cases, the reliability of those systems is critical, and fault tolerant filter implementations are needed. Next many techniques that exploit the filters' structure and properties to achieve fault tolerance have been proposed. As technology scales, it enables more complex systems that incorporate many filters. In those complex systems, it is common that some of the filters operate in parallel, for example, by applying the same filter to different input signals. Recently, a simple technique that exploits the presence of parallel filters to achieve fault tolerance has been presented. In this brief, that idea is generalized to show that parallel filters can be protected using error correction codes (ECCs) in which each filter is the equivalent of a bit in a traditional ECC. This new scheme allows more efficient protection when the number of parallel filters is large. The proposed scheme coded in VHDL in Xilinx 12.2 and simulated using Modelsim10.1 and implemented on altera Cyclone IV FPGA.

Keywords: Error Correction Codes, Digital Filter, FPGA

I. INTRODUCTION

Digital filters are one of the most commonly used signal processing circuits and several techniques have been proposed to protect them from errors. Most of them have focused on finite-impulse response (FIR) filters. For example, in the use of reduced precision replicas was proposed to reduce the cost of implementing modular redundancy in FIR filters. In, a relationship between the memory elements of an FIR filter and the input sequence was used to detect errors. Other schemes have exploited the FIR properties at a word level to also achieve fault tolerance. The use of residue number systems and arithmetic codes has

also been proposed to protect filters. Finally, the use of different implementation structures of the FIR filters to correct errors with only one redundant module has also been proposed. In all the techniques mentioned so far, the protection of a single filter is considered.

A. Error Detection and Correction

In information theory and coding theory with applications in computer science and telecommunication, error detection and correction or error control are techniques that enable reliable delivery of digital data over unreliable communication channels. Many communication channels are subject

to channel noise, and thus errors may be introduced during transmission from the source to a receiver. Error detection techniques allow detecting such errors, while error correction enables reconstruction of the original data in many cases.

1) Error detection is the detection of errors caused by noise or other impairments during transmission from the transmitter to the receiver.

2) Error correction is the detection of errors and reconstruction of the original, error-free data.

II. RELATED WORK

“Efficiency Soft-Error-Tolerant Digital Signal Processing Using Fine-Grain Subword-Detection Processing”[1] This paper they proposed a subword-detection processing (SDP) technique and a fine-grain soft-error-tolerance (FGSET) architecture to improve the performance of the digital signal processing circuit. In the SDP technique, the logic masking property of the soft error in the combinational circuit is utilized to mask the single-event upset (SEU) caused by disturbing particles in the inactive area. To further improve the performance, the masked portion of the data path can be used as the estimation redundancy in the algorithmic soft error-tolerance (ASET) technique. “Area efficient concurrent error detection and correction for parallel filters”[2] In this paper they Proposed is an area efficient technique to detect and correct single errors occurring in pairs of parallel filters that have either the

same input data or the same implementation that shares input data between both filters so as to detect and correct errors. The area cost of the proposed scheme is shown to be slightly more than double that of the unprotected filter, whereas the conventional triple modular redundancy solution requires an area three times that of the unprotected filter. However, it is increasingly common to find systems in which several filters operate in parallel. This is the case in filter banks and in many modern communication systems. For those systems, the protection of the filters can be addressed at a higher level by considering the parallel filters as the block to be protected. This idea was where two parallel filters with the same response that processed different input signals were considered. It was shown that with only one redundant copy, single error correction can be implemented. Therefore, a significant cost reduction compared with TMR was obtained. Finally, the use of different implementation structures of the FIR filters to correct errors with only one redundant module has also been proposed. In all the techniques mentioned so far, the protection of a single filter is considered.

III. PROPOSED SYSTEM

Digital filters are one of the most commonly used signal processing circuits and several techniques have been proposed to protect them from errors. Most of them have focused on finite-impulse response (FIR) filters. For example, the use of reduced precision replicas was proposed to reduce the cost of implementing modular redundancy in FIR filters. a relationship

between the memory elements of an FIR filter and the input sequence was used to detect errors. Other schemes have exploited the FIR properties at a word level to also achieve fault tolerance. The use of residue number systems and arithmetic codes has also been proposed to protect filters. In this brief, a general scheme to protect parallel filters is presented. Parallel filters with the same response that process different input signals are considered. The new approach is based on the application of error correction codes (ECCs) using each of the filter outputs as the equivalent of a bit in an ECC codeword. This is a generalization of the scheme presented and enables more efficient implementations when the number of parallel filters is large. The scheme can also be used to provide more powerful protection using advanced ECCs that can correct failures in multiple modules.

IV. DESIGN METHODOLOGY

The new technique is based on the use of the ECCs. A simple ECC takes a block of k bits and produces a block of n bits by adding $n-k$ parity check bits. The parity check bits are XOR combinations of the k data bits. By properly designing those combinations it is possible to detect and correct errors. As an example, let us consider a simple Hamming code [14] with $k = 4$ and $n = 7$. In this case, the three parity check bits p_1, p_2, p_3 are computed as a function of the data bits d_1, d_2, d_3, d_4 as follows:

$$p_1 = d_1 \oplus d_2 \oplus d_3$$

$$p_2 = d_1 \oplus d_2 \oplus d_4$$

$$p_3 = d_1 \oplus d_3 \oplus d_4.$$

- Based on the use of the ECCs
- Error Correction Codes (ECCs) using each of the filter output
- It can correct failures in multiple modules
- In The Parity, the error is detected and corrected by using.

$$y_{c1}[n] = z_1[n] - y_2[n] - y_3[n]$$

The data and parity check bits are stored and can be recovered later even if there is an error in one of the bits. This is done by re-computing the parity check bits and comparing the results with the values stored. In the example considered, an error on d_1 will cause errors on the three parity checks; an error on d_2 only in p_1 and p_2 ; an error on d_3 in p_1 and p_3 ; and finally an error on d_4 in p_2 and p_3 . Therefore, the data bit in error can be located and the error can be corrected.




Figure 1: Block Diagram of Proposed Work

This ECC scheme can be applied to the parallel filters considered by defining a set of check filters z_j . For the case of four filters y_1, y_2, y_3, y_4 and the Hamming code, the

check filters would be $z1[n] = y1[n] + y2[n] + y3[n]$ $z2[n] = y1[n] + y2[n] + y4[n]$ $z3[n] = y1[n] + y3[n] + y4[n]$ For example, an error on filter $y1$ will cause errors on the checks of $z1$, $z2$, and $z3$. Similarly, errors on the other filters will cause errors on a different group of z_i . Therefore, as with the traditional ECCs, the error can be located and corrected.

A. Design Of Fir Filters

There are different methods for the design of FIR digital filter. The most common methods are

- 1) Fourier series method.
 - 2) The window method
 - 3) Frequency sampling method.
 - 4) Optimal filter design method
- But we are designing the window method explained below

a) Window method: Several window functions have been proposed .

Listed below are some of the most common:

- i) Rectangular window
- ii) Hanning window (also referred to as Hann)
- iii) Hamming window
- iv) Blackman window
- v) Kaiser window

To reduce the oscillations in Fourier series method, the Fourier coefficients are modified by multiplying the infinite impulse response by a finite weighing sequence $w(n)$ called a window. Windows are characterize by the main lobe width which is the bandwidth between first negative and first positive zero crossing, and by their ripple ratio. The main lobe width and the ripple ratio should be as low as possible; i.e the spectral energy of the window should be

concentrated as far as possible in the main lobe and the energy in the side lobes should be as low as possible. Two desirable characteristics of a window function are; Fourier transform of the window function should have a small width of the main lobe. Fourier transform of the window function should have side lobes that decrease in energy rapidly as f tends to 0. Windows can be categorized as fixed or adjustable window function. Fixed windows such as Rectangular, Hanning, Hamming and Blackman window have only one independent parameter window length which controls the main-lobe width. Adjustable windows have two or more independent parameters such as window length and one or more additional parameters that can control the other window's characteristics. The Kaiser window is a kind of two parameter window function. In a Kaiser window width of main lobe can be controlled by adjusting the length of the filter and side lobe level can be controlled by varying the other parameter α . But the Kaiser window has the disadvantage of higher computational complexity due to the use of Bessel functions in the calculation of the window coefficients. In this window function the width of main lobe can be varied by changing the value of α for a fixed length of the filter. α is selected according to different applications. This generalized window is referred to as the Hamming window for $\alpha = 0.54$ and Hanning window for $\alpha = 0.5$. They are both commonly used in speech processing and other digital signal processing applications. But in some

application such as spectral analysis of a specified frequency spectrum, if the frequency of interest contains two or more signals very near to each other, then frequency resolution is very important. In such cases a small main lobe width of the window function in frequency domain is required. For an efficient value of α , this window function provides a lesser main lobe width compares to Hanning ($\alpha = 0.5$) and Hamming window ($\alpha = 0.54$), however the amplitude of side lobe and ripples in pass band is also increased

V. SIMULATION RESULTS




Figure 5.1: Main Block Simulation Result

Figure 5.1 explains the simulation results of main block in which input=1111111111111111, Output=1111111111111111.




Figure 5.2 FIR filter simulation Result

FIR filter simulation result is shown in above here we are giving 8 bit input as 11111111 then we will get shifted 16 bit FIR

filter output i.e. 1111111111111100. For 16 bit input we will get 32 bit output.




Figure 5.3 Encoder Simulation Result

Figure 5.3 explains the encoder simulation result is shown in above, here we are giving 8 bit input as 11111111 then it encodes the data and it will generate two parity bits for 8 bit input i.e. 1111011110. it will give 10 bit output for 16 bit it will generate 4 parity bits then it will give 20 bit output.




Figure 5.4 Simulation Result of Single Fault Correction

Figure 5.4 Input (z) =1111011110 , Input(Y out) =111111 1111111100 Output=11111111. Single fault correction simulation result is shown in above here we are giving 16 bit FIR filter and 10 bit encoder output as input then it will compare both data then it will give the original 8 bit (16 bit) data as output.



VI. CONCLUSION

This brief has presented a new scheme to protect parallel filters that are commonly found in modern signal processing circuits. The approach is based on applying ECCs to the parallel filters outputs to detect and correct errors. The scheme can be used for parallel filters that have the same response and process different input signals. The technique provides larger benefits when the number of parallel filters is large. The proposed architecture can be easily used to implement high order FIR filters e.g. 20-tap with different coefficients word length without suffering from large architecture reconstruction and with low hardware complexity needed for the design. The proposed scheme can also be applied to the IIR filters. The future work is to perform a VLSI implementation of pulse shaping FIR filter for ultra wideband communications.

REFERENCES

- [1] Reddy and P. Banarjee “Algorithm-based fault detection for signal processing applications,” *IEEE Trans. Comput.*, vol. 39, no. 10, pp. 1304–1308, Oct. 1990.
- [2] T. Hitana and A. K. Deb, “Bridging concurrent and non-concurrent error detection in FIR filters,” in *Proc. Norchip Conf.*, 2004, pp. 75–78.
- [3] M. Nicolaidis, “Design for soft error mitigation,” *IEEE Trans. Device Mater. Rel.*, vol. 5, no. 3, pp. 405–418, Sep. 2005.
- [4] B. Shim and N. Shanbhag, “Energy-efficient soft error-tolerant digital signal processing,” *IEEE Trans. Very Large Scale Integr.(VLSI) Syst.*, vol. 14, no. 4, pp. 336–348, Apr. 2006.
- [5] S. Pontarelli, G. C. Cardarilli, M. Re, and A. Salsano, “Totally fault tolerant RNS based FIR filters,” in *Proc. IEEE IOLTS*, Jul. 2008, pp. 192–194.