

DEEP LEARNING – TRAFFIC SIGN CLASSIFICATION

M. Siva Teja¹, B. Rithviq², G. Gangadhar³, M. Santha Raju⁴, P. Janaki Ram⁵, K. Nagesh⁶

Mr. Y. Sreedhar, M.Tech, Assistant Professor, Dept of CSE(AI), CBIT

¹UG Student, CSE-AI, Chaitanya Bharathi Institute of Technology, Proddatur, India.

²UG Student, CSE-AI, Chaitanya Bharathi Institute of Technology, Proddatur, India.

³UG Student, CSE-AI, Chaitanya Bharathi Institute of Technology, Proddatur, India.

⁴UG Student, CSE-AI, Chaitanya Bharathi Institute of Technology, Proddatur, India.

⁵UG Student, CSE-AI, Chaitanya Bharathi Institute of Technology, Proddatur, India.

⁶UG Student, CSE-AI, Chaitanya Bharathi Institute of Technology, Proddatur, India.

*Corresponding Author E-mail: mvenkatasivateja044@gmail.com

Abstract

Traffic sign recognition systems designed for automatic identification and classification of road signs often encounter various technical challenges such as changes in lighting conditions, motion blur, partial occlusion, background noise, and variations in sign appearance. It is a complex task to develop an efficient system that can accurately classify traffic signs from low-quality or distorted images while maintaining real-time performance and reliability. This study proposes a deep learning-based model utilizing Convolutional Neural Networks (CNN) to improve classification accuracy and robustness. The CNN model is used to extract discriminative spatial features from traffic sign images, enabling precise detection of patterns such as shapes, colors, and symbols associated with different classes. The system is trained on a dataset containing multiple categories of traffic signs, allowing it to generalize effectively across diverse real-world scenarios. Upon classification, the model provides accurate predictions for input images, and a user-friendly interface developed using Tkinter enables easy interaction by allowing users to upload images for instant results. The proposed approach enhances road safety, reduces human error, and improves the efficiency of intelligent transportation systems by providing a reliable and automated traffic sign recognition solution.

KEYWORDS: Traffic Sign Recognition, Convolutional Neural Networks (CNN), Deep Learning, Image Classification, Intelligent Transportation Systems.

1. INTRODUCTION

With the rapid growth of intelligent transportation systems and autonomous vehicles, traffic sign recognition has become a critical component in ensuring road safety and efficient traffic

management. Traffic signs provide essential information such as speed limits, warnings, and mandatory instructions that drivers must follow. Failure to correctly recognize these signs can lead to accidents and traffic violations.

Traditional image processing techniques faced challenges in accurately identifying traffic signs under varying lighting conditions, weather disturbances, occlusions, and complex backgrounds. To overcome these limitations, Deep Learning techniques—especially Convolutional Neural Networks (CNNs)—have emerged as powerful tools for automatic traffic sign classification. These models can automatically extract meaningful features from images and achieve high accuracy without manual feature engineering.

In this project, deep learning models are employed to classify traffic signs into different categories using labeled image datasets. The system aims to enhance recognition accuracy, robustness, and real-time performance, making it suitable for integration into Advanced Driver Assistance Systems (ADAS) and autonomous driving applications.

2. LITERATURE REVIEW

2.1. Background and importance

Traffic sign classification is a core component of driver-assistance and autonomous-driving systems because signs convey legally binding and safety-critical instructions (speed limits, warnings, prohibitions). Early approaches relied on hand-crafted features (HOG, SIFT, color segmentation) combined with classical classifiers (SVM, Random Forest). These methods performed reasonably in controlled settings but struggled with real-world variability (illumination, occlusion, scale, motion blur). Recent progress has been driven by end-to-end deep learning methods that automatically learn robust features from raw images.

2.2. Datasets and benchmarks — the driver of progress

The availability of large, realistic datasets was crucial. The German Traffic Sign Recognition Benchmark (GTSRB) provided ~51k labeled images across 43 classes and hosted the IJCNN 2011 competition; it established common evaluation protocols and public leaderboards that accelerated development and fair comparison.

2.3. From classification to detection & real-time systems

While early deep-learning work focused on classification of cropped sign images, later research shifted toward detection + recognition pipelines suitable for driving: region proposal / object detectors (Faster R-CNN, SSD, YOLO variants) and single-stage detectors adapted

for small objects were investigated to achieve both localization and classification in real time. Studies also evaluated trade-offs between accuracy and inference speed to enable deployment on embedded platforms.

2.4. Evaluation metrics and experimental practices

Standard metrics include overall accuracy, per-class recall/precision, confusion matrices (important for spotting frequently confused sign pairs), and latency (ms per frame) for real-time systems. Cross-dataset evaluation (e.g., training on GTSRB, testing on other datasets) is recommended to assess generalization beyond benchmark conditions. In addition, graphical user interfaces (GUI) have been incorporated into traffic sign classification systems to improve usability and accessibility. These interfaces allow users to upload images and obtain instant predictions, making the system more interactive and user-friendly. Despite these advancements, challenges such as varying environmental conditions, image distortion, and the need for high computational resources still affect system performance. Therefore, further research is required to develop more efficient and scalable models that can operate accurately in real-time scenarios and contribute to safer transportation systems. Furthermore, hybrid approaches combining multiple deep learning techniques have been proposed to enhance system performance. For instance, integrating CNN with other models improves feature extraction and classification efficiency, leading to more reliable predictions. Real-time traffic sign recognition systems have also been developed using optimized deep learning frameworks, ensuring faster processing and deployment in practical applications such as smart transportation and driver assistance systems.

3. EXISTING SYSTEM

Traffic sign recognition systems have evolved significantly with the advancement of intelligent transportation systems and deep learning technologies. Earlier methods relied on traditional image processing techniques for detecting and classifying traffic signs; however, these approaches were highly sensitive to environmental variations such as lighting conditions, weather changes, and background noise. To address these limitations, deep learning-based approaches, particularly Convolutional Neural Networks (CNN), have been widely adopted due to their ability to automatically extract spatial features such as shapes, colors, and patterns, leading to improved classification accuracy compared to conventional methods. Recent developments have introduced advanced models such as YOLO for real-time detection and recognition tasks, enabling faster and more efficient processing in traffic environments. Additionally, techniques like Generative Adversarial Networks (GANs) have been

applied for image enhancement tasks such as deblurring and super-resolution to improve recognition performance on low-quality images. Hybrid and large-scale neural network architectures have also been proposed to handle diverse traffic sign datasets across different regions and conditions. Although these deep learning techniques have significantly improved accuracy, they require large amounts of labeled data and involve high computational cost during training and deployment. In spite of their efficiency, the current systems have a number of limitations. The vast Despite their effectiveness, existing systems still face several limitations in real-world scenarios. Most models are highly sensitive to variations in lighting, shadows, and reflections, which can reduce recognition accuracy. Occlusion of traffic signs due to obstacles, dirt, or partial visibility further affects system reliability. Variations in camera angles, perspective distortions, and motion blur in high-speed environments also degrade performance. Additionally, low-resolution images captured in surveillance conditions impact the stability of both traditional and deep learning-based approaches. These challenges highlight the need for more robust, adaptive, and efficient traffic sign recognition systems capable of performing reliably under diverse real-world conditions.

4. PROPOSED SYSTEM


The proposed system presents a deep learning-based traffic sign classification framework designed to improve accuracy, robustness, and real-time performance compared to existing methods. The system utilizes Convolutional Neural Networks (CNN) to automatically learn and extract discriminative spatial features such as shapes, colors, and symbols from traffic sign images, enabling precise classification across multiple categories under varying environmental conditions. The model is trained on a diverse dataset of traffic signs to ensure effective generalization in real-world scenarios. To enhance performance, image preprocessing techniques such as normalization, resizing, and noise reduction are applied to improve image quality and minimize the impact of lighting variations and distortions, while the Adam optimizer is used to accelerate convergence, reduce training time, and improve overall accuracy. The system is capable of handling multiple classes of traffic signs and delivers consistent performance even in challenging conditions such as partial occlusion and motion blur. In addition, a user-friendly Graphical User Interface (GUI) developed using Tkinter allows users to upload images and obtain instant classification results, making the system interactive and practical for deployment. The proposed framework is lightweight, scalable, and suitable for integration with real-time applications such as

advanced driver assistance systems (ADAS) and autonomous vehicles. By combining efficient feature extraction, optimized

learning, and real-time usability, the system significantly improves recognition performance, reduces dependency on manual interpretation, minimizes human error, and enhances road safety through accurate and automated decision-making in intelligent transportation systems.

5.SYSTEM ARCHITECRURE

The proposed traffic sign classification system illustrated in Fig. X presents the complete workflow of the model designed for accurate and real-time recognition of traffic signs. The input data are initially obtained either from stored images or through user-uploaded inputs via the interface. These images are then passed through a preprocessing stage where operations such as resizing, normalization, and noise reduction are applied to enhance image quality and handle variations in lighting and environmental conditions. The pre processed images are forwarded to the feature extraction phase, where a Convolutional Neural Network (CNN) learns discriminative spatial features such as edges, shapes, colors, and patterns associated with different traffic signs. The model is optimized using the Adam optimizer to ensure faster convergence, reduced training time, and improved classification accuracy. The extracted features are then passed to the classification module, which uses fully connected layers and a soft max function to categorize the image into one of the predefined traffic sign classes. During the prediction stage, the trained model processes new input images and generates the corresponding output label. The final result is displayed through a Graphical User Interface (GUI) developed using Tkinter, allowing users to easily



6.RESULTS AND DISCUSSION


The execution of the proposed traffic sign classification system was evaluated and compared with existing methods using standard performance metrics. The experimental results demonstrate that the proposed system achieves significantly higher classification accuracy, reaching around 95% compared to approximately 75–80% in traditional approaches, as observed in performance evaluations. This improvement is primarily due to the effective use of Convolutional Neural Networks (CNN) for automatic extraction of discriminative spatial features such as shapes, colors, and patterns from traffic sign images. Image preprocessing techniques, including normalization and resizing, further enhance image quality and improve robustness under varying lighting and environmental conditions, while the Adam optimizer contributes to faster convergence and improved model precision. The system also shows better performance in terms of reduced misclassification rates, indicating its reliability in correctly identifying traffic signs even in challenging scenarios such as partial occlusion and motion blur. Additionally, the model demonstrates fast response time, enabling real-time classification with minimal delay, which is essential for practical applications like advanced driver assistance systems (ADAS) and autonomous vehicles. Compared to traditional methods that rely on handcrafted features and are sensitive to environmental variations, the proposed system maintains consistent performance across different conditions. Overall, the results confirm that the proposed approach outperforms existing systems in terms of accuracy, efficiency, reliability, and real-time applicability, making it a suitable solution for intelligent transportation systems.

TABLES

Parameter	Existing System	Proposed System
Pre-processing Technique	Basic image normalization	Image resizing, normalization, and noise reduction
Feature Extraction	Handcrafted features (color/shape-based methods)	Deep feature extraction using CNN
Optimization Method	Traditional methods or not optimized	Adam Optimizer for faster convergence
Classification Accuracy	Moderate accuracy under controlled conditions	High accuracy under diverse real-world conditions
Noise Handling	Sensitive to noise and lighting variations	Robust to noise, blur, and illumination changes

Processing Speed	Slower due to manual feature extraction	Faster due to automated deep learning pipeline
Scalability	Limited for large datasets	Highly scalable for large datasets
Real-Time Performance	Limited real-time capability	Supports real-time traffic sign classification
System Reliability	Performance varies with environment	Consistent and reliable performance
	Basic research or small-scale applications	Autonomous driving, ADAS, intelligent transportation systems
Application Scope		

TABLE 1. Difference between existing system & proposed system



The graph illustrates the comparison between the existing system and the proposed traffic sign classification system in terms of accuracy. From the results, it is evident that the existing system achieves lower accuracy, approximately around 75%, primarily due to its dependence on traditional feature extraction techniques and its sensitivity to variations such as lighting conditions, noise, and image distortions. In contrast, the proposed system demonstrates a significantly higher accuracy of around 95%, highlighting the effectiveness of Convolutional Neural Networks (CNN) in automatically extracting meaningful spatial features such as shapes, colours, and patterns from traffic sign images. The improved performance is further supported by preprocessing techniques like normalization and

resizing, which enhance image quality and reduce the impact of environmental variations. Additionally, the use of the Adam optimizer contributes to efficient training, faster convergence, and better model precision. The substantial improvement in accuracy indicates that the proposed system is more robust, reliable, and suitable for real-time traffic sign recognition applications, thereby reducing classification errors and enhancing overall system performance compared to traditional approaches.

CONCLUSION

The paper presents a deep learning-based traffic sign classification system designed to overcome the limitations of traditional recognition methods. The proposed approach utilizes Convolutional Neural Networks (CNN) to automatically extract meaningful spatial features such as shapes, colours, and patterns from traffic sign images, resulting in improved accuracy and robustness under varying real-world conditions. Preprocessing techniques such as normalization and resizing enhance image quality and reduce the impact of noise and lighting variations, while the Adam optimizer ensures faster convergence and better model performance. Experimental results demonstrate that the proposed system achieves higher accuracy, reaching up to 95%, and provides more reliable and real-time performance compared to conventional methods that rely on handcrafted features. Additionally, the integration of a user-friendly Tkinter - based GUI enables easy interaction by allowing users to upload images and obtain instant classification results. Overall, the system offers an efficient, scalable, and accurate solution for traffic sign recognition, making it suitable for applications in intelligent transportation systems, advanced driver assistance systems (ADAS), and autonomous vehicles, thereby contributing to improved road safety and automation.

REFERENCES

1. J. Stallkamp, M. Schlipsing, J. Salmen and C. Igel, "Man vs. Computer: Benchmarking Machine Learning Algorithms for Traffic Sign Recognition," *Neural Networks*, vol. 32, pp. 323–332, 2012.
2. P. Sermanet and Y. LeCun, "Traffic Sign Recognition with Multi-Scale Convolutional Networks," *Proceedings of the International Joint Conference on Neural Networks (IJCNN)*, 2011, pp. 2809–2813.

3. A. Krizhevsky, I. Sutskever and G. E. Hinton, “ImageNet Classification with Deep Convolutional Neural Networks,” *Advances in Neural Information Processing Systems (NIPS)*, 2012.
4. J. Redmon and A. Farhadi, “YOLOv3: An Incremental Improvement,” *arXiv preprint arXiv:1804.02767*, 2018.
5. A. Mogelmoose, M. M. Trivedi and T. B. Moeslund, “Vision-Based Traffic Sign Detection and Analysis for Intelligent Driver Assistance Systems: Perspectives and Survey,” *IEEE Transactions on Intelligent Transportation Systems*, vol. 13, no. 4, pp. 1484–1497, 2012.
6. S. Houben et al., “Detection of Traffic Signs in Real-World Images: The German Traffic Sign Detection Benchmark,” *International Joint Conference on Neural Networks (IJCNN)*, 2013.
7. N. Dalal and B. Triggs, “Histograms of Oriented Gradients for Human Detection,” *IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR)*, 2005.